

REVIEW ARTICLE

A Systematic Review on Therapeutic Uses of *Panchavalkala*Kamal Satgonda Naik^{1a,b}, Dattatray Sarwade²^{1a}Department of Dravyaguna, Bhimashankar Ayurved College, Manchar, Pune, Maharashtra, India.^{1b}Department of Dravyaguna, MGACH & RC, Datta Meghe Institute of Medical Sciences Deemed to be University, Wardha, India.²Department of Dravyaguna, MGACH & RC, Datta Meghe Institute of Medical Sciences Deemed to be University, Wardha, Maharashtra, India.

ABSTRACT

This systematic review explored key findings of various studies published to evaluate therapeutic uses of *Panchavalkala*. This review involves various studies based on the inclusion and exclusion criteria, as per the standard norms of systemic review study. This study performed by searching databases including AYUSH research portal, Google scholar, Pub Med, additional records identified through other sources like DHARA and Research Gate. Data were extracted and analyzed for fulfillment of inclusion criteria. Study showed more than 50% investigations on antimicrobial potential, amongst them many of reported wound healing property additionally. *Panchavalkala* is a traditional Ayurvedic formulation, exhibited anti-inflammatory, antioxidant and anti-microbial actions. Various forms of *Panchavalkala*, such as decoction, Taila, Ghrita and cream, etc. have been reported with their unique therapeutic potency in recent year.

Key-Words: Ayurveda, *Panchavalkala*, Antimicrobial, Dravyaguna

Received 24.08.2024

Revised 01.09.2024

Accepted 11.11.2024

How to cite this article:

Kamal S N, Dattatray S. A Systematic Review on Therapeutic Uses of *Panchavalkala*. Adv. Biores., Vol 15 (6) November 2024: 164-168.

INTRODUCTION

Panchavalkala, a formulation described in ancient text of Ayurveda is composed of the barks of five distinct trees: *Vata* (*Ficus benghalensis*), *Udumbara* (*Ficus racemosa*), *Ashvattha* (*Ficus religiosa*), *Parisha* (*Thespesia populnea*) and *Plaksha* (*Ficus lacor*). These trees are collectively known for their potent therapeutic properties, which synergize to create a powerful healing formulation [1-3]. From the *Dravyaguna* perspective, each constituent of *Panchavalkala* contributes uniquely to its overall efficacy, since each ingredients offers unique Ayurvedic properties as depicted in **Table 1**.

Table 1: Properties of constituents of *Panchavalkala* as per *Dravyaguna* perspective:

Ingredients of <i>Panchavalkala</i>	Rasa	Guna	Virya	Vipaka	Prabhava
<i>Vata</i>	Kashaya (astringent)	Guru (heavy), Ruksha (dry)	Shita (cold)	Katu (pungent)	Promotes wound healing and skin regeneration.
<i>Udumbara</i>	Kashaya (astringent), Madhura (sweet)	Guru (heavy), Snigdha (unctuous)	Shita (cold)	Madhura (sweet)	Anti-inflammatory and antimicrobial properties.
<i>Ashvattha</i>	Kashaya (astringent), Tikta (bitter)	Laghu (light), Ruksha (dry)	Shita (cold)	Katu (pungent)	Effective in reducing inflammation and promoting tissue repair.
<i>Parisha</i>	Kashaya (astringent)	Laghu (light), Ruksha (dry)	Ushna (hot)	Katu (pungent)	Antibacterial and wound-healing properties.
<i>Plaksha</i>	Kashaya (astringent)	Guru (heavy), Snigdha (unctuous)	Shita (cold)	Katu (pungent)	Enhances wound contraction and tissue regeneration.

Panchavalkala's multifaceted action includes anti-inflammatory, antioxidant and antibacterial effects, etc. *Panchavalkala*'s diverse formulations included decoctions, ointments, Taila, Ghrita and Ghanasatwa, etc.

The chief ingredients of *Panchavalkala* offer therapeutic potency by virtue of their *Rasa, Guna, Virya* and *Vipaka* [4-7].

The goal of this systematic review was to combine previous studies to provide comprehensive information about *Panchavalkala's* therapeutic applications.

METHODS

✓ **Databases:** This study performed *via* looking through information bases including AYUSH research portal, Google scholar, Pub Med, extra records distinguished through different sources like DHARA and Research Gate. The inclusion criteria were met by extracting and analyzing the data.

✓ **Search Terms:** The search terms used included *Panchavalkala, Ayurveda, Therapeutic, and Dravyaguna, etc.*

Eligibility Criteria

Studies retrieved from the databases were exported after removing duplicates. Titles and abstracts were screened, followed by a full-text review [8]. The following inclusion and exclusion criteria were applied

Inclusion Criteria

- Articles published recently.
- Studies published in English language.
- Studies reported therapeutic application of *Panchavalkala*.

Exclusion Criteria

- Studies not met the above criteria.
- Studies published in languages other than English
- Articles published with inaccessible full texts
- Reviews and editorials articles with no significant data
- Studies not focusing on therapeutic potential of *Panchavalkala*.

The PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) flow chart was used to select articles as mentioned in **Figure 1**.




Figure 1: PRISMA flow chart for selection of studies

Data Extraction

The study year, design of study, sample size, participant and reporting of therapeutic uses of *Panchavalkala*, etc. were all taken into consideration throughout the extraction procedure.

QUALITY ASSESSMENTS

The instrument intended for prevalence studies was used to evaluate the study's quality. Reviewer evaluated articles critically; differences about which research should be included or excluded were settled through discussion with the expert of field. This systematic review selected studies with significant data that were published in reputable journals [9].

RESULT AND DISCUSSION

Present study reported a systemic review on therapeutic application of *Panchavalkala*, in this regard several earlier published studies were scrutinized and significant studies were included to generate qualitative data as mentioned in **Table 2**. As mentioned in Table 2 most of the reported work confirmed antimicrobial, wound healing and anti-inflammatory activities of *Panchavalkala*, some studies also reported role of *Panchavalkala* in gynecological disorders.

Antimicrobial Activity

The antimicrobial activity of *Panchavalkala* was compared to standard antibiotics in many studies. *Panchavalkala* was reported more effective against *Staphylococcus aureus* and *Escherichia coli*. Phytochemical analysis of *Panchavalkala* identified phytosterols, tannins and glycosides. Tannins demonstrated superior antimicrobial activity compared to glycosides and phytosterols in many studies.

Wound Healing Activity

Studies performed to evaluate efficacy of *Panchavalkala Siddha Shatadhauta Ghrita*, *Panchavalkala Kwath* and *Panchavalkala Ghanasatva*, etc. studies confirmed significant wound healing potential of *Panchavalkala*. *Panchavalkala Kwath* exhibited *Shothahara* and *Ropana* properties without adverse effects. *Panchavalkala* application also reduced pain and discharge, and showed cleansing as well as healing effects on chronic ulcers. The aqueous extract of *Panchavalkala Ghanasatva* demonstrated antimicrobial action more effective than classically prepared *Panchavalkala Kwath*.

Role in Gynecological Disorders

Panchavalkala plays a significant role in providing anti-inflammatory and healing effects in cases of cervicitis or cervical erosions. *Panchavalkala Varti* also showed significant results in alleviating symptoms like *Kandu*, *Yoni Srava*, *Daha*, *Daurrangandha* and *Pichchilata*, etc. The reported investigations also concluded that *Panchavalkala* play an important role in managing uncomplicated leukorrhea.

Antiinflammatory Property

The various studies concluded that phytochemical components such as tannins, anthraquinones, and phytosterols exhibited astringent and anti-inflammatory properties, which reduce pain, discharge, redness, and swelling, thereby promoting quicker epithelialization. Additionally, the study demonstrated that *Panchavalkala* possesses *Shodhana*, antibacterial and anti-inflammatory properties which support significantly in wound healing associated with inflammatory symptoms.

Table 1: Details of studies included in the systematic review

Authors	Year	Study Design	Finding of Study	References
Khadkutkar D, Kanthi V, Dudhamal T	2016	<i>In Vitro</i> Study	<i>Panchavalkala</i> was found to be more sensitive for gram positive bacteria i.e. <i>S.aures</i> than gram negative bacteria <i>E.col</i>	10
Ranjan R, Kumar P, Goswami AB	2017	<i>In Vitro</i> Study	Study reported significant anti-bacterial as well as anti-fungal potential against <i>Escheria coli</i> and <i>Candida albicans</i> respectively	11
Patenkar G, Grampurohit ND	1999	<i>In Vitro</i> Study	The study concluded that tannins exhibited stronger antimicrobial activity compared to glycosides and phytosterols	12
Kamabale M, Ashar S, Jadhav S	2012	<i>In Vitro</i> Study	The results suggested that <i>Panchavalkala</i> could be a potential source of antimicrobial agents for controlling MRSA wound infections	13
Sakitha KS, Dighe D, Santosh B, et al.	2013	<i>In Vitro</i> Study	Screening of wound healing activity demonstrated that <i>Panchavalkala</i> ointment enhanced the wound healing process.	14
Suraj, Khandare et al.	2019	Clinical Study	Research has confirmed that <i>Panchavalkala</i> exhibits significant wound healing potential by virtue of its antimicrobial property	15
Arawatti, S., Boppareddy, S., Narinder, S., et al.	2012	Clinical study	Research concluded that <i>Panchavalkala Kwath</i> demonstrated <i>Shothahara</i> (anti-inflammatory) and <i>Ropana</i> (healing) properties in the treatment of <i>Bhagandara Vrana</i> (fistula-in-ano) without causing	16

			adverse effects	
Bhardwaj, U., Sahu, M.	2010	Clinical study	It was found that Panchavalkala application reduces pain and discharge while also providing Shodhana and Ropan benefits for chronic ulcers. Study confirmed strong antimicrobial action of aqueous extract of Panchavalkala Ghanasatva	17
Bhatt, K. S., Vishwesh, B. N., Sahu, M., et al.	2014	Clinical study	The study concluded that Panchavalkala cream efficiently decreases the microbial load, clinically controls infection, hastens wound debridement, and can be recommended for the management of chronic non-healing wounds.	18
Dadlani Bharti	2003	Clinical Study	Study suggests that Panchavalkala plays a significant role in providing anti-inflammatory and healing effects in cases of cervicitis or cervical erosions	19
Verma P, Donga SB, Dei LP et al.	2011	Clinical Study	Panchavalkala Varti showed significant results in alleviating symptoms such as yoni srava, kandu, daha, pichchilata, vedana, and daurrangandha, demonstrating its anti-inflammatory properties when compared between both groups.	20
Joshi J, Bhatt R, Rege V, et al.	2004	Clinical Study	Based on these investigations, the study concluded that Panchavalkala douches play an important role in managing uncomplicated leukorrhea.	21
Anandjiwala S, Bagul MS, Parabia M, Rajrani M	2008	<i>In Vitro</i> Study	The experiment showed that <i>Panchavalkala</i> and its components exhibited significant free radical scavenging activity, which can be attributed to tannins, phenolics, and other compounds. This free radical scavenging activity is likely one of the mechanisms behind <i>Panchavalkala's</i> actions, including its anti-inflammatory properties	22
Verma PS, Harisha CR, Donga SB, et al.	2013	Qualitative investigation	The study concluded that phytochemical components such as tannins, anthraquinones, and phytosterols exhibited astringent and anti-inflammatory properties, which reduce pain, discharge, redness, and swelling, thereby promoting quicker epithelialization.	23
PG dissertation, D.G.M.A.M.C & H, Gadag	2010	Clinical Study	This study showed encouraging results and concluded that <i>Panchavalkala</i> possesses <i>Shodhana</i> , antibacterial as well as anti-inflammatory properties	24

Panchavalkala contains tannins, glycosides and phytosterols, etc. these constituents contributed significantly towards the *Shothahara* and *Ropana* properties of *Panchavalkala*. *Shothahara* and *Ropana* properties of *Panchavalkala* further facilitate process of wound healing. Additionally, epithelialization promoted by *Panchavalkala* fastens recovery from chronic wound and anti-inflammatory activity reduces symptoms such as pain and burning sensation [25, 26].

CONCLUSION

This systematic review aims to present qualitative data on therapeutic importance of *Panchavalkala*. Various studies published indicating therapeutic values of *Panchavalkala* were considered for this systemic analysis. This review concluded that *Panchavalkala* offers antimicrobial, anti-inflammatory and wound healing properties. However wound healing action is mainly reported by many researchers and this effect of *Panchavalkala* can be attributed to its *Shothahara* and *Ropana* properties.

FUNDING

This work was not funded by any organization or individual.

LIMITATIONS

Study title limited to the qualitative data which can be considered valuable for highlighting major therapeutic application of *Panchavalkala*. However, it is suggested to perform further studies on any one activity of *Panchavalkala* representing quantitative systemic evaluation for ensuring key factors associated with particular biological activity of *Panchavalkala*.

REFERENCES

1. Bhava Prakasha Nighantu, Bhava Mishra, Edited by Dr. K.C. Chunekar, X Edition Chaukhambha Bharati Academy, Varansi 2006. Vataadi Varga 15.
2. Charaka Samhita, Chikitsa Sthana, with Ayurveda Dipika, English commentary Ram Karan Sharma, Vd. Bhagwan Das, II Edition, Chaukhambha Sanskrit Series, Varanasi, 2001. 25/87.
3. Sharangadhara Samhita, Madhyama khanda, 2/151, Hindi translation Dr. Shailaja Srivastava, IV Edition, Chaukhambha Orientalia, Varanasi, 2005.
4. Sharangadhara Samhita, Hindi translation Dr. Shailaja Srivastava, Chaukhambha Orientalia, Varanasi, 4th edition 2005. Madhyama khanda, 2/1.
5. Thakur R., Jain N., Pathak R., Sandhu S.S. Practices in Wound Healing Studies of Plants. Evid.-Based Complement. Altern. Med. 2011;2011: 438056.
6. Sushruta, Sushruta Samhita, Sutrashtana 36/23, edited by Shastri A, Edition: reprint 2010.pp.179.
7. Dr. Krushnachandra Chunekar, Bhavprakash Nighantu, Vatadivarga/16,17,18 Chaukhamba Orientalia, Varanasi 2015.pp.519-20.
8. Page MJ, McKenzie JE, Bossuyt PM et al. (2021). The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*; 372: n71. <https://doi.org/10.1136/bmj.n71>.
9. Munn Z, Moola S, Lis K et al. JBI Manual for Evidence Synthesis, Systematic Reviews of Prevalence and Incidence. 2020. <https://jbi-global-wiki.refined.site/space/MANUAL/355863557/Previous+versions>.
10. Khadkutkar D, Kanthi V, Dudhamal T. Antimicrobial activity of Panchavalkala powder and ointment. *International Journal of Medicinal Plants and Natural Products* 2016;2(1):9-15.
11. Barve, M., Galib, Prajapati, P. K., et al. (2011). Shelf life study on Shatadhauta ghrita and Panchavalkala siddha shatadhuta ghrita w.s.r to its wound healing activity. *PG dissertation, Institute for Post Graduate Teaching and Research in Ayurveda, Gujarat Ayurveda University, Jamnagar*.
12. Arawatti, S., Boppareddy, S., Narinder, S., et al. (2012). Clinical evaluation on the effect of Nishyaya Taila and Panchavalkala Kwath in the management of Bhagandara Vrana (Fistulotomy wound). *Abstracts for E: Publication, 5th World Ayurveda Congress, Bhopal, Madhya Pradesh, India: 7 to 10, December, 2012*, Art. No. 10969.
13. Bhardwaj, U., Sahu, M. (2010). Role of Panchavalkala Kwath in the management of Dushta Vrana (Chronic non-healing wound). *PG dissertation, IMS, BHU, Varanasi*.
14. Bhatt, K. S., Vishwesh, B. N., Sahu, M., et al. (2014). A clinical study on the efficacy of Panchavalkala cream in Vrana Shodhana w.s.r to its antimicrobial load and wound infection. *AYU*, 35(2), 135-140.
15. Dr. Suraj Rathod, Dr. Kiran Khandare, Dr. Pooja Shrivastava. (2019). Efficacy of Panchavalkal Kwatha Dhawana followed by Panchavalkal Ghruta application in case of Dushta Vrana. *J Ayurveda Integr Med Sci*;4:345-349..
16. Patenkar, G., & Grampurohit, N. D. (1999). Detection of phytoconstituents responsible for antimicrobial activity in Panchavalkala. *Aryavaidyan*, 12(4), 221-225.
17. Kamabale, M., Ashar, S., & Jadhav, S. (2012). Evaluation of antibacterial activity of Panchavalkala extract and gel formulation against multiple drug-resistant strains of *S. aureus* (MRSA). *Pharma Science Monitor*, 3(1), 278.
18. Sakitha, K. S., Dighe, D., Santosh, B., et al. (2013). Formulation, antibacterial activity, and wound healing property of Panchavalkaladi ointment. *International Ayurvedic Medical Journal*, 1(4), 1-5.
19. Bharti, D. (2003). Nidantmaka study of Karnini Yonovyapad with special reference to chronic cervicitis with erosion. *PG dissertation*, p.36.
20. Verma, P., Donga, S. B., Dei, L. P., et al. (2011). A clinical study on Upapluta yonivyapad w.s.r to Valvovaginitis during pregnancy and its management with Panchavalkala Varti. *PG dissertation, Gujarat Ayurved University, Jamnagar*.
21. Joshi, J., Bhatt, R., Rege, V., et al. (2004). Use of cervical cytology, Vaginal Ph & Colposcopy, adjuvant to clinical evaluation of Ayurvedic vaginal douche, Panchavalkala in Leucorrhoea. *Journal of Cytology*, 21(1), 33-38.
22. Anandjiwala S, Bagul MS, Parabia M, Rajrani M. (2008). Evaluation of free Radical Scavenging Activity of an Ayurvedic Formulation, Panchavalkal. *Indian Journal of Pharmaceutical Science*.70(1):31-35.
23. Verma PS, Harisha CR, Donga SB, et al. (2013). Pharmacognostical and Phytochemical standardization of Panchavalkala Varti - An Ayurvedic Poly-herbal formulation. *IJSIT*. 2(2):129-139.
24. Evaluation of the efficacy of Panchavalkala lepa and kashaya in the management of mukhadushika w.s.r. to acne vulgaris. *PG dissertation, D.G.M.A.M.C & H, Gadag*.
25. Yogesh Badwe. (2019). Review Study of Potential Wound Healing Properties of Panchavalkala. *International Journal of Ayurveda and Pharma Research*. 7(8):53-57.
26. Vaikhari A Dhurve, TS Dudhamal. (2020). Formulations of Panchavalkala As Vrana Shodhana and Vrana Ropana: A Brief Review. *Indian J Ancien Med Yog*. 13(1):17-22.

Copyright: © 2024 Author. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.